


2017 Alutech Trend Series Price List



Sectional Garage Doors



- 40mm Alutech trend series insulated sectional garage doors
- Avanti garage door openers and accessories

High quality sectional garage doors designed to enhance and improve your property
Hard Wearing • Highly Insulating • Beautifully Simple

AVANTI

ALUTECH
GROUP OF COMPANIES

All products only available through approved and accredited Alutech sectional garage door dealers please call 01924 472924 for details of your local dealer. All prices are sterling and exclude VAT. Garage door specialists and dealers interested in applicable trade discounts please call us on 01924 472924

JDUK
JD(UK) LIMITED

JD (UK) Limited
Ravensthorpe Industrial Estate Low Mill Lane Havelock Street Ravensthorpe Dewsbury WF13 3LN
T: 01924 472924 E: sales@jduk ltd.co.uk www.jduk ltd.co.uk

DHF
Door & Hardware
Federation
raising standards

S-RIB, M-RIB & MICROWAVE SECTIONAL GARAGE DOORS



For 45mm Classic Door add 10% to price shown
Finished door size = closest width to size shown to nearest 5mm

STOCK DOORS

Trend series ex-stock doors in sizes highlighted blue (7' 0", 7' 6", 8' 0", 14' 0" & 14' 6" widths and 7' 0" & 6' 6" heights). Available in white, black or anthracite. Lead time 1-2 weeks. M-Rib wood grain only. Please call 01924 472924 to check availability.

Intermediate heights £75.00	Standard Heights	Colours	Finish	SIDE EXTENSION SPRINGS Standard Widths									TORSION SPRINGS Standard Widths									
				2084 6'10"	2134 7'0"	2235 7'4"	2286 7'6"	2388 7'10"	2438 8'0"	2591 8'6"	2743 9'0"	3048 10'0"	3353 11'0"	3658 12'0"	3962 13'0"	4216 13'10"	4267 14'0"	4420 14'6"	4572 15'0"	4877 16'0"	5180 17'0"	6000 19'8"
Up-to 7' 0" (2125mm)	1875 6'2"	White	Woodgrain	839	839	845	845	885	885	885	1050	1050	1139	1335	1383	1436	1436	1438	1510	1792	1923	1992
	1925 6'4"	White	Smooth	868	868	880	880	920	920	930	1090	1090	1244	1397	1435	1479	1479	1517	1530	1854	1990	2062
	1980 6'6"	Standard Colour	Woodgrain	956	956	963	963	1009	1009	1100	1197	1197	1299	1522	1577	1637	1637	1691	1721	2042	2195	2204
	2050 6'9"	Standard Colour	Smooth	990	990	997	997	1044	1045	1105	1239	1239	1344	1575	1632	1694	1695	1750	1781	2114	2272	2281
	2080 6'10"	Wood Effect Colour	Smooth	1052	1060	1060	1100	1120	1128	1128	1297	1400	1559	1762	1813	1859	1872	1922	1940	2353	2642	2666
Up-to 7' 5" (2250mm)	2175 7'2"	White	Woodgrain	855	855	865	865	900	900	1181	1200	1341	1421	1499	1578	1662	1741	1741	1790	1827	1971	2036
	2205 7'3"	White	Smooth	889	900	900	910	949	949	1228	1248	1395	1478	1559	1641	1728	1811	1811	1862	1900	2050	2117
	2235 7'4"	Standard Colour	Woodgrain	990	1000	1060	1060	1100	1100	1230	1368	1529	1620	1709	1799	1895	1985	2020	2041	2083	2247	2321
	2250 7'5"	Standard Colour	Smooth	1025	1035	1097	1097	1139	1139	1263	1416	1582	1677	1769	1862	1961	2054	2091	2112	2156	2326	2402
		Wood Effect Colour	Smooth	1075	1175	1175	1200	1246	1300	1490	1605	1700	1899	1998	2092	2183	2190	2250	2344	2413	2599	2695
Up-to 8' 2" (2500mm)	2285 7'6"	White	Woodgrain	925	925	930	930	950	970	1234	1234	1369	1534	1663	1756	1843	1886	1931	1981	2105	2354	2673
	2375 7'9"	White	Smooth	975	975	985	985	1035	1035	1250	1275	1400	1599	1699	1790	1890	1900	2000	2020	2170	2400	2700
		Standard Colour	Woodgrain	1055	1090	1090	1100	1106	1106	1284	1375	1550	1660	1730	1984	2084	2136	2186	2245	2390	2654	3019
		Standard Colour	Smooth	1092	1128	1128	1128	1145	1145	1329	1423	1604	1690	1790	2053	2157	2210	2263	2323	2474	2747	3124
		Wood Effect Colour	Smooth	1251	1275	1275	1297	1345	1345	1505	1650	1790	1905	2113	2236	2348	2402	2460	2529	2688	2895	3100
Up-to 9' 10" (3000mm)	2625 8'7"	White	Woodgrain	1350	1361	1361	1380	1380	1385	1406	1451	1558	1658	1801	1928	1983	2022	2053	2090	2234	2510	2833
	2750 9'0"	White	Smooth	1418	1429	1429	1449	1449	1454	1476	1524	1636	1741	1891	2024	2082	2123	2156	2195	2346	2636	2975
	2875 9'5"	Standard Colour	Woodgrain	1460	1472	1472	1492	1492	1498	1521	1569	1747	1862	2030	2173	2245	2291	2331	2375	2543	2837	3208
	3000 9'10"	Standard Colour	Smooth	1504	1516	1516	1537	1537	1550	1566	1616	1799	1918	2091	2238	2312	2360	2401	2458	2631	2936	3320
		Wood Effect Colour	Smooth	1564	1588	1588	1611	1719	1719	1758	1890	2005	2199	2395	2550	2707	2758	2803	2854	3052	3444	3878
Number of Windows				2	2	2	2	2	2	3	3	3	4	4	5	5	5	5	6	6	7	

STANDARD COLOURS Colours for illustration purposes, door colour may vary

Burgundy RAL3004	Steel Blue RAL5011	Window Grey RAL7040	Fir Green RAL6009	Flame Red RAL3000	Light Ivory RAL1015
Grey Aluminium RAL9007	Anthracite RAL7016	Gentian Blue RAL5010	Light Grey RAL7035	Moss Green RAL6005	Jet Black RAL9005

WOOD EFFECT COLOURS

Golden Oak	Dark Oak	Rosewood
-------------------	-----------------	-----------------

Special RAL £50.00 m²
Non-RAL colour £100.00 m²

SPACE REQUIREMENTS

	Side Room	Headroom (manual) + Boom Depth*	Depth required for Tracks
Side Spring	95mm	100mm	Height + 490mm
Front Torsion	95mm	210mm*	Height + 490mm
Rear Torsion	95mm	100mm	Height + 660mm

Avanti operator boom installation depth = Headroom + 45mm*
 Manual locking handle installation depth = Headroom + 25mm*
 210mm includes boom or handle depth*

Add an 800nm Avanti T-Series garage door opener complete with 2 remote controls for only £195.00 (£266.00 when sold separately)




Non Standard (Special) Colours

Please state RAL reference number when ordering



www.jduk ltd.co.uk
 to use our unique design configurator and browse our gallery of sectional garage door projects



L-RIB SECTIONAL GARAGE DOORS



For 45mm Classic Door add 10% to price shown
 Finished door size = closest width to size shown to nearest 5mm

STOCK DOORS

Trend series ex-stock doors in sizes highlighted blue (7' 0", 7' 6", 8' 0", 14' 0" & 14' 6" widths and 7' 0" & 6' 6" heights). Available in white, black or anthracite. Lead time 1-2 weeks. L-Rib smooth only. Please call 01924 472924 to check availability.

Intermediate heights £75.00	Standard Heights	Colours	Finish	Intermediate widths £55.00									SIDE EXTENSION SPRINGS Standard Widths									TORSION SPRINGS Standard Widths								
				2084 6'10"	2134 7'0"	2235 7'4"	2286 7'6"	2388 7'10"	2438 8'0"	2591 8'6"	2743 9'0"	3048 10'0"	3353 11'0"	3658 12'0"	3962 13'0"	4216 13'10"	4267 14'0"	4420 14'6"	4572 15'0"	4877 16'0"	5180 17'0"	6000 19'8"								
Up-to 7' 0" (2125mm)	1875 6'2"	White	Woodgrain	879	890	890	890	943	943	943	1085	1085	1284	1450	1489	1536	1537	1579	1594	2039	2189	2268								
	1925 6'4"	White	Smooth	902	913	913	913	967	968	968	1113	1113	1317	1487	1528	1576	1576	1619	1635	2092	2245	2326								
	1980 6'6"	Standard Colour	Woodgrain	920	932	932	932	987	987	987	1136	1145	1344	1517	1559	1608	1624	1669	1700	2134	2291	2373								
	2050 6'9"	Standard Colour	Smooth	929	941	941	941	997	997	997	1147	1147	1357	1533	1574	1624	1624	1669	1700	2156	2314	2397								
	2080 6'10"	Wood Effect Colour	Smooth	1157	1166	1166	1210	1232	1241	1300	1427	1540	1715	1899	1995	2045	2059	2115	2134	2389	2502	2795								
Up-to 7' 5" (2250mm)	2175 7'2"	White	Woodgrain	908	908	929	929	992	992	1194	1366	1526	1618	1706	1796	1892	1982	1982	2038	2080	2244	2318								
	2205 7'3"	White	Smooth	931	931	953	953	1017	1017	1225	1401	1566	1659	1750	1842	1940	2033	2033	2090	2133	2301	2377								
	2235 7'4"	Standard Colour	Woodgrain	950	950	972	972	1038	1038	1250	1430	1598	1693	1786	1880	1980	2074	2074	2132	2177	2348	2426								
	2250 7'5"	Standard Colour	Smooth	960	960	982	982	1048	1048	1263	1444	1614	1710	1804	1899	2000	2095	2095	2154	2198	2372	2450								
		Wood Effect Colour	Smooth	1183	1209	1293	1300	1371	1390	1499	1650	1800	2138	2197	2302	2401	2409	2417	2578	2654	2969	3005								
Up-to 8' 2" (2500mm)	2285 7'6"	White	Woodgrain	951	951	959	959	1046	1047	1242	1405	1558	1746	1893	1999	2098	2147	2198	2255	2396	2680	3043								
	2375 7'9"	White	Smooth	975	975	983	983	1073	1073	1274	1441	1598	1791	1942	2050	2152	2202	2254	2313	2458	2748	3121								
		Standard Colour	Woodgrain	1005	1005	1080	1080	1095	1095	1300	1470	1631	1828	1981	2092	2196	2247	2300	2360	2508	2804	3184								
		Standard Colour	Smooth	1005	1005	1091	1091	1106	1106	1313	1485	1647	1846	2001	2113	2218	2269	2323	2384	2533	2832	3216								
		Wood Effect Colour	Smooth	1251	1275	1305	1320	1400	1450	1550	1700	1900	2199	2220	2390	2490	2490	2500	2650	2740	3050	3413								
Up-to 9' 10" (3000mm)	2625 8'7"	White	Woodgrain	1537	1549	1549	1571	1571	1586	1600	1652	1773	1887	2050	2195	2257	2302	2337	2379	2543	2857	3225								
	2750 9'0"	White	Smooth	1576	1589	1589	1611	1611	1627	1642	1694	1819	1936	2103	2251	2315	2361	2397	2440	2608	2930	3308								
	2875 9'5"	Standard Colour	Woodgrain	1608	1621	1621	1644	1644	1660	1675	1729	1856	1975	2146	2297	2362	2409	2446	2490	2661	2990	3375								
	3000 9'10"	Standard Colour	Smooth	1624	1638	1638	1660	1660	1677	1692	1746	1875	1995	2167	2320	2386	2433	2470	2515	2688	3020	3409								
		Wood Effect Colour	Smooth	1657	1670	1670	1693	1693	1710	1725	1780	1980	2250	2300	2450	2580	2590	2600	2701	2950	3200	3580								
Number of Windows				2	2	2	2	2	2	3	3	3	4	4	5	5	5	5	6	6	7									

STANDARD COLOURS Colours for illustration purposes, door colour may vary

Burgundy RAL3004	Steel Blue RAL5011	Window Grey RAL7040	Fir Green RAL6009	Flame Red RAL3000	Light Ivory RAL1015
Grey Aluminium RAL9007	Anthracite RAL7016	Gentian Blue RAL5010	Light Grey RAL7035	Moss Green RAL6005	Jet Black RAL9005

WOOD EFFECT COLOURS

Golden Oak	Dark Oak	Rosewood
-------------------	-----------------	-----------------

Special RAL £50.00 m²
Non-RAL colour £100.00 m²

Non Standard (Special) Colours

Please state RAL reference number when ordering

SPACE REQUIREMENTS


	Side Room	Headroom (manual) + Boom Depth*	Depth required for Tracks
Side Spring	95mm	100mm	Height + 490mm
Front Torsion	95mm	210mm*	Height + 490mm
Rear Torsion	95mm	100mm	Height + 660mm

Avanti operator boom installation depth = Headroom + 45mm*
 Manual locking handle installation depth = Headroom + 25mm*
 210mm includes boom or handle depth*

Add an 800nm Avanti T-Series garage door opener complete with 2 remote controls for only **£195.00** (£266.00 when sold separately)



www.jduk ltd.co.uk
 to use our unique design configurator and browse our gallery of sectional garage door projects



GEORGIAN SECTIONAL GARAGE DOORS



STANDARD COLOURS Colours for illustration purposes, door colour may vary

Burgundy RAL3004	Steel Blue RAL5011	Window Grey RAL7040	Fir Green RAL6009	Flame Red RAL3000	Light Ivory RAL1015
Grey Aluminium RAL9007	Anthracite RAL7016	Gentian Blue RAL5010	Light Grey RAL7035	Moss Green RAL6005	Jet Black RAL9005

WOOD EFFECT COLOURS

Golden Oak	Dark Oak
-------------------	-----------------

Non Standard (Special) Colours
Please state RAL reference number when ordering

Special RAL £50.00 m²
Non-RAL colour £100.00 m²

Height = 25mm increments
Minimum width 2070mm

Intermediate widths £55.00

TORSION SPRINGS
Standard Widths

Intermediate heights £75.00	Standard Heights	Colours	Finish	Intermediate widths £55.00									TORSION SPRINGS Standard Widths																								
				2134 7'0"	2235 7'4"	2286 7'6"	2388 7'10"	2438 8'0"	2591 8'6"	2743 9'0"	3048 10'0"	3353 11'0"	3658 12'0"	3962 13'0"	4216 13'10"	4267 14'0"	4420 14'6"	4572 15'0"	5000 16'4"																		
Up-to 7' 0" (2125mm)	1875 6'2"	White	Woodgrain	985	990	1010	1040	1058	1065	1120	1230	1399	1499	1598	1687	1761	1826	1859	2083																		
	1925 6'4"	Standard Colour	Woodgrain	1075	1080	1085	1140	1149	1159	1270	1350	1516	1700	1840	1910	1927	1997	2039	2276																		
	2000 6'6"	Wood Effect Colour	Woodgrain	1100	1120	1190	1164	1250	1370	1466	1495	1590	1790	1890	1985	2005	2010	2170	2310																		
Up-to 7' 5" (2250mm)	2050 6'9"	White	Woodgrain	1082	1082	1086	1100	1140	1290	1399	1495	1650	1799	1950	2066	2125	2125	2183	2195																		
	2125 7'0"																			Standard Colour	Woodgrain	1160	1170	1178	1231	1310	1420	1570	1729	1871	2013	2147	2225	2298	2320	2370	2420
	2250 7'5"																			Wood Effect Colour	Woodgrain	1196	1220	1290	1305	1450	1527	1650	1772	1967	2100	2200	2240	2350	2390	2420	2495
Up-to 8' 2" (2500mm)	2375 7'9" 2500 8'2"	White	Woodgrain	1190	1212	1232	1276	1276	1318	1450	1533	1745	1842	2000	2099	2199	2199	2236	2624																		
																				Standard Colour	Woodgrain	1226	1249	1269	1314	1340	1490	1630	1680	1971	2118	2255	2330	2350	2400	2450	2702
																				Wood Effect Colour	Woodgrain	1262	1286	1307	1354	1550	1630	1790	1850	2030	2200	2323	2400	2421	2472	2524	2783
Up-to 9' 10" (3000mm)	2625 8'7" 2750 9'0" 2875 9'5" 3000 9'10"	White	Woodgrain	1400	1440	1459	1558	1558	1599	1618	1880	1999	2263	2399	2490	2502	2591	2639	3121																		
																				Standard Colour	Woodgrain	1442	1483	1502	1605	1605	1647	1799	1936	2059	2331	2471	2565	2577	2669	2718	3215
																				Wood Effect Colour	Woodgrain	1575	1575	1590	1690	1690	1705	1790	2090	2250	2450	2630	2695	2695	2805	2805	3390
Number of Windows / No. of Squares				3	3	3	3	3	4	4	4	4	5	5	6	6	6	7	7																		

For 45mm Classic Door add 10% to price shown

Finished door size = closest width to size shown to nearest 5mm

SPACE REQUIREMENTS


	Side Room	Headroom (manual) + Boom Depth*	Depth required for Tracks
Side Spring	95mm	100mm	Height + 490mm
Front Torsion	95mm	210mm*	Height + 490mm
Rear Torsion	95mm	100mm	Height + 660mm

Avanti operator boom installation depth = Headroom + 45mm*
Manual locking handle installation depth = Headroom + 25mm*
210mm includes boom or handle depth*

Add an 800nm Avanti T-Series garage door opener complete with 2 remote controls for only £195.00 (£266.00 when sold separately)



www.jduk ltd.co.uk
to use our unique design configurator and browse our gallery of sectional garage door projects



MATCHING SIDE HINGED PERSONNEL DOORS

Insulated side doors to compliment your Alutech sectional garage door



Doors are manufactured from 40mm thick insulated panels, with an extruded aluminium frame with built in seals. Heavy duty hinges are used, quantity to suit size. Each door is made as a dead size, please allow installation tolerance. Doors are ordered to over-frame sizes and normally fitted between the brickwork opening.

S-RIB, M-RIB & MICROWAVE

WIDTH (MM)

	875	900	1000	1125	1250	
HEIGHT (MM)	1900	902	915	1007	1113	1214
2000	942	950	1060	1166	1277	
2125	990	999	1113	1224	1320	
2250	1029	1043	1166	1263	1381	

GEORGIAN

WIDTH (MM)

	875	900	1000	1125	1250	
HEIGHT (MM)	1900	986	1007	1070	1179	1285
2000	1017	1029	1126	1241	1381	
2125	1065	1082	1183	1303	1417	
2250	1162	1294	1355	1470	1518	

COLOURS

Any RAL Colour (including standard colours) add £45 m²

Wood effect colours add £60 m²

SECTIONAL GARAGE DOOR WINDOWS

All windows feature durable double acrylic glazing which offers highly insulating properties and a hard wearing impact resistant window.




SQUARE ACRYLIC WINDOW

- Clear glazing £80.00 each
- Add £15.00 for opaque smooth frosting



ROUND ACRYLIC FRAMED WINDOW

- Clear glazing £80.00 each
- Add £15.00 for opaque smooth frosting



RECTANGULAR ACRYLIC FRAMED WINDOW

- Clear glazing or stippled textured frosted £80.00 each



RECTANGULAR ACRYLIC FRAMED WINDOW WITH CROSS INSERT

- Clear glazing or stippled textured frosted £90.00 each



RECTANGULAR ACRYLIC FRAMED WINDOW WITH SUNBURST INSERT

- Clear glazing or stippled textured frosted £90.00 each



ACRYLIC WINDOW FRAME PAINTING

- Window frames and inserts supplied white as standard
- Painted in any standard RAL colour £20.00 per window
- Painted in any other RAL colour £28.00 per window




STAINLESS STEEL FRAMED SQUARE WINDOW

- Clear glazing or opaque smooth frosted £255.00 each
- Add £15.00 for opaque smooth frosting



STAINLESS STEEL FRAMED ROUND WINDOW

- Clear glazing or opaque smooth frosted £255.00 each
- Add £15.00 for opaque smooth frosting



WICKET DOORS

Provides access to your garage without the need to open the entire garage door. You door is supplied with specially adapted door panels with sensors in-built to disengage your door motor when the wicket door is open.

Standard Threshold (145mm)

Low Threshold (100mm)

Flat Threshold (22mm)

£1275.00

For further technical information please visit www.jduk ltd.co.uk or call 01924 472924

SECTIONAL GARAGE DOOR OPTIONS AND ACCESSORIES

LOCKING

MANUAL LOCKING HANDLE KIT - £71.00

A key operated manual handle can be cut left or right in 2nd panel from the ground. Operates a spring loaded shoot bolt in door frame.

EXTERNAL MANUAL RELEASE - £59.00

A key operated cylinder lock to disengage Avanti garage door opener and allow manual entry into the garage, recommended where garage door is only point of entry into.

SPRING OPTIONS

Please consult garage door price lists for guide to spring types supplied as standard. Larger doors as indicated on the price list are supplied with front torsion springs with shaft mounted above the door. 210mm headroom required (see space requirements table below).

Low headroom kit (rear mounted torsion springs, 100mm headroom + operator or handle requirements, see space requirements table below) - **£105.00**

SPACE REQUIREMENTS

	Side Room	Headroom (manual) + Boom Depth*	Depth required for Tracks
Side Spring	95mm	100mm	Height + 490mm
Front Torsion	95mm	210mm*	Height + 490mm
Rear Torsion	95mm	100mm	Height + 660mm

Avanti operator boom installation depth = Headroom + 45mm*

Manual locking handle installation depth = Headroom + 25mm*

210mm includes boom or handle depth*

FITTING OPTIONS

FRAME PAINTING - £111.00

Door frame supplied with frame legs and header fascia in white on all doors. For painting in any RAL colour add frame painting.

UPVC ARCHITRAVE TRIM KIT - £85.00

Set of 95mm architraves in any RAL colour for use as cover profiles when trimming your sectional garage door installation.

SPECIAL OFFER

Free made to measure width and height cut down service for all doors bought with any reveal fitting kit as listed below.

DELIVERY TIMES

Trend Series Ex-Stock range (for full list please visit www.jduk ltd.co.uk)

1-2 weeks

All other doors (made to measure and special RAL colour included) **3-4 weeks**

Any doors including non-RAL special colour or with windows including opaque smooth frosting **4-6 weeks**

REVEAL FITTING OPTIONS

Fitting tolerance guidance based on low headroom, rear or side springs.

REVEAL FITTING KIT OPTION 1 - £65.00

Mounting brackets for fitting in-between the opening. Reduce structural width by 215mm and structural height by 145mm (operator beneath lintel) / 100mm (operator behind lintel) when calculating ordering size. No trims/cover profiles supplied.

REVEAL FITTING KIT OPTION 2

Mounting brackets as listed above complete with set of 95mm uPVC architraves for finishing trim.

£151.00 - white

£263.00 - coloured

Coloured option includes door frame painting as listed above & uPVC architraves in matching RAL colour.

REVEAL FITTING KIT OPTION 3

Mounting brackets as listed above complete with adjustable cover profile system. Designed for maximum adjustability and highest quality finish. Includes two 107mm frame leg cover profiles and one 145mm header fascia. Reduce structural width by 220mm and structural height by 145mm.

£220.00 - white

£331.00 - coloured

Coloured option includes door frame painting as listed above and cover profiles supplied in matching colour.

DELIVERY CHARGES

Delivery to designated dealers delivery address (England and Wales) **FOC**

Delivery to any other address (single doors - up-to 10') **£134.00**

Delivery to any other address (double doors - over 10') **£155.00**

Scotland, Northern Ireland & Islands **POA**

AVANTI GARAGE DOOR OPENERS


CE A reliable and robust motor recommended for use with all Alutech sectional garage doors, fully certified for CE compliance as part of a complete automated door package when fitted in combination with an Alutech sectional garage door.

Avanti motors are also a great option for your up and over style one piece garage doors, featuring a dedicated tip-up door function setting.

For more details on our motors visit www.jduk ltd.co.uk or call 01924 472924

Key Features

- Slim-line design
- Automatic safety reverse
- Fail safe locking mechanism - highly secure
- Courtesy light
- Easy remote control programming
- 7 year motor warranty
- Steel reinforced Kevlar belt systems
- Powerful 800nm motor



SPECIFICATION

Model	T8/800
Force	800n
Soft start / stop	Yes
Maximum width	6000mm
Maximum height	3000mm
Rail	Belt Drive
Boom make up	1 piece or 2 piece
Boom length	3120mm (3620mm with extension)
Overall installation depth	3300mm (3800mm with extension)
Minimum installation depth	45mm
Minimum installation depth with Battery Backup	85mm
Radio frequency	433mhz keeloq
Motor warranty	7 years
General warranty	2 years

AVANTI T-SERIES GARAGE DOOR OPENER



Avanti- T-Series 800nm garage door opener complete with motor head unit, belt drive boom (rail) and two pre-coded hand transmitters. CE certified for use with all Alutech sectional garage doors.

ONLY £195.00 WHEN PURCHASED WITH ANY ALUTECH SECTIONAL GARAGE DOOR!

PRICE: £266.00 each

BULK-BUY OFFERS

Buy 5 or more - £244.00 each
Buy 10 or more - £233.00 each
Buy 20 or more - £216.00 each

OPERATOR ACCESSORIES



HAND TRANSMITTER

- 4-channel, 433,92 MHz
- Rolling Code
- Features glow-in-the-dark buttons and one touch coding

£40.00



SUN VISOR CLIP

- For mounting hand transmitter on a wall or on sun visor of car dashboard

£10.00



BATTERY BACK-UP

- Battery back-up system ensures continuous power supply in event of mains power cut

£155.00



BOOM EXTENSION

- 500mm boom extension kit for use with doors above 2400mm height

£58.00



TWO-PIECE BOOM

- Optional two-piece boom for easier transportation and storage

No additional cost



IN-CAR TRANSMITTER

- Powered by cigarette lighter socket in dashboard

£45.00



WIRELESS PUSH BUTTON

- 4-channel, 433,92 MHz
- Rolling Code
- Wall mounted control for internal mounting

£45.00



UNIVERSAL MINI RECEIVER

- 2-channel, 433,92 MHz
- For coding Avanti transmitters to operate other automation systems

£67.00



DIGITAL KEYPAD

- 4-channel, 433,92 MHz
- Rolling Code
- Secure PIN activated control, can be mounted internally or externally

£86.00




PHOTO-CELL SENSOR

- For non-contact safety protection preventing door closure when an obstruction is present
- Supports contact based safety reverse function in-built in T-Series operator
- Can be used to program automatic door closure when you drive-away

£40.00

TECHNICAL INFORMATION




SIDE EXTENSION SPRINGS

Dimension	Description	Description
H	Headroom	100mm excluding motor or handle
RM	Door Height	X
LDH	Drive through height	RM -40mm
DM	1st Hanger	950mm
H3	Underside of track	RM -15mm

Track length = ET. Rear hanger position = DH.

RM (mm)	1750 - 1845	1850 - 1945	1950 - 2045	2050 - 2145	2150 - 2245	2250 - 2345	2350 - 2445	2450 - 2545	2550 - 2645	2650 - 2745	2750 - 2845	2850 - 2945	2950 - 3000
ET (mm)	2240	2340	2440	2540	2640	2740	2840	2940	3040	3140	3240	3340	3440
DH (mm)	1940	2040	2140	2240	2340	2440	2540	2640	2740	2840	2940	3040	3140




FRONT TORSION SPRINGS

Dimension	Description	Description
H	Headroom	210mm including motor or handle
RM	Door Height	X
LDH	Drive through height	RM -40mm
DM	1st Hanger	950mm
H3	Underside of track	RM +46mm

Track length = ET. Rear hanger position = DH.

RM (mm)	1750 - 1845	1850 - 1945	1950 - 2045	2050 - 2145	2150 - 2245	2250 - 2345	2350 - 2445	2450 - 2545	2550 - 2645	2650 - 2745	2750 - 2845	2850 - 2945	2950 - 3000
ET (mm)	2240	2340	2440	2540	2640	2740	2840	2940	3040	3140	3240	3340	3440
DH (mm)	1940	2040	2140	2240	2340	2440	2540	2640	2740	2840	2940	3040	3140



REAR TORSION SPRINGS (LOW HEADROOM KIT)

Dimension	Description	Description
H	Headroom	100mm excluding motor or handle
RM	Door Height	X
LDH	Drive through height	RM -100mm
DM	1st Hanger	950mm
H3	Underside of track	RM -15mm

Track length = ET. Rear hanger position = DH.

RM (mm)	1750 - 1845	1850 - 1945	1950 - 2045	2050 - 2145	2150 - 2245	2250 - 2345	2350 - 2445	2450 - 2545	2550 - 2645	2650 - 2745	2750 - 2845	2850 - 2945	2950 - 3000
ET (mm)	2410	2510	2610	2710	2810	2910	3010	3110	3210	3310	3410	3510	3610
DH (mm)	2230	2330	2430	2530	2630	2730	2830	2930	3030	3130	3230	3330	3430