

Cardale Garage Door Range 2019/20 at a glance





Welcome to Cardale Garage Doors

Welcome to the garage door at a glance brochure, containing an inspirational range of high quality doors.

Cardale is British owned and we have been manufacturing garage doors for over fifty years. We are sure you'll find exactly the right door for your home amongst Cardale's range - no one offers more choice!

These doors represent the best, not only in looks, but also in terms of safety, security and durability. We at Cardale have no doubt that, in years to come, you will still be as happy with your Cardale door as the day it is installed.

Factory finished steel fixing frame

Cardale Up & Over garage doors are supplied with an optional prehung factory finished steel fixing frame, which makes installation simple and eliminates the need for a timber frame.

Frames are supplied as standard in white, colour matched frames are also available.

The Rosewood chassis frame is supplied in Cherry, Golden Oak chassis frame is RAL8003.

Where to buy

visit www.cardale.co.uk

Cardale doors are available through a network of garage door specialists who will be able to provide full details and prices for our range.

Visit www.cardale.co.uk or call 01582 563777 for details of your nearest distributor.

Contents

Steel up and over doors 4-7
Secured by Design doors 4
Steel side hinged doors
GRP doors and GRP side hinged doors7
Timber up and over doors
Timber side hinged doors
Insulated sectional steel doors 10
Aluminium insulated roller doors
Steeline roller doors
Personnel doors, Accessories and Optional Extras 11
Door Operators

Cardale - dedicated to manufacturing quality garage doors for over 50 years

Over those 50 years Cardale has brought many innovations and firsts to the garage door industry:

- Cardale introduced the concept of the 'panel door', from which the majority of today's garage door designs are derived
- Cardale designed the Bedford up and over door, the first to give the appearance of traditional side hinged doors
- Timber is at the very heart of Cardale and our reputation is unsurpassed for choice and quality, with levels of craftsmanship found nowhere else


Cardale is a responsible manufacturer and continually strives to reduce its environmental impact footprint through the use of sustainable resources, such as renewable timber. Energy efficient vehicle fleets and consideration of distribution distances for components and raw materials are constantly reviewed to investigate any possibilities for improvement.

Selecting an opening mechanism

Cardale offer ranges of doors operating in several different ways. Depending on your preference and the physical characteristics of your garage, some types of operation may be more suitable for you than others. The information here will give you an insight into the choice of operating mechanisms and their features.


Canopy door gear

Up and over canopy doors are the most popular style of lifting gear in the UK with a vast range of door styles to suit. Ideally matched to where there is limited headroom for tracks but with the advantage that automation is still available.



Retractable door gear

An alternative lifting gear for use with up and over doors. Horizontal tracks are attached to the top of the door frame to guide the door open, providing an exceptionally smooth opening and closing action which is ideal for electric operation.



Roller doors

Roller doors travel vertically, forming a compact coil above the opening, meaning minimum space requirements both inside and out. Slimmed down versions requiring even less headroom are available for both the Thermaglide and Steeline range.

Side hinged doors

Popular 'traditional' operation and ideal if there are obstructions within the garage. Excellent security and very durable construction ensure long trouble-free service and automation is available as an option.

Sectional doors

Vertical opening allows 'park-right-up' convenience, whilst the extension or torsion spring operation gives a super smooth mechanism. Enclosed moving parts and push away joints to the panels make for finger safe operation

Automation

Cardale doors are designed for automation, which further increases the safety and security of not only your garage but your entire property. With such convenience at your fingertips you will wonder how you ever got by without this added luxury.



Selecting the material and finish

- Cardale offer a wide selection of popular designs across a range of materials and finishes. This increased choice means you can choose your favourite style, together with the benefits of a low maintenance finish or the luxury of real timber.
- Take a look at the options below and check out their unique benefits.

Steel doors

Constructed using premium grade galvanised steel, Cardale doors are both secure and corrosion resistant, whilst remaining cost effective. A host of finishes is available on selected ranges, including: Laminated Wood Effect, Powder Coated and Pre-finished. Available on the Up & Over, Sectional, Side Hinged and Steel Roller ranges.

Timber doors

Every timber door produced is unique - hand crafted using cedar from managed sustainable sources. The huge range of styles to choose from are supplied base coat stained for finishing to a colour of your choice. Alternatively you can choose a hand finished door in one of the six woodtones available in the Up & Over, and Side Hinged ranges.

GRP doors

With the same strength to weight ratio as steel this composite material is incredibly robust and is used in the yachting industry due to its durability against the ravaging effects of corrosive weather. Available in low maintenance high gloss white and incredibly lifelike timbergrain effect woodtones, these doors are virtually maintenance free.

Insulated aluminium roller doors

The insulated aluminium lath design is ideal if the garage is used as a workspace or there is a bedroom above it, preventing the heat from escaping and the cold from entering. This door is even capable of withstanding a hurricane! The laths are available with vision slats and in a range of finishes and sizes in the Thermaglide Roller Door range.

-	2			-1
-		1	-	
-		-	-	
	-			







White powder coated pre-finished steel doors

Cardale corrosion resistant garage doors, manufactured in Britain from premium grade galvanised steel and finished in white primer for easy finishing to the colour of your choice. Cardale up and over doors are bespoke and made to order.

Black Cardale handle fitted on each door unless otherwise specified.



Cardale Secured by Design doors




Official Police Security Initiative

Cardale Secured by Design garage doors have spring assisted retractable action for smooth running. Cardale Secured by Design garage doors can only be supplied in a pre-hung factory finished steel fixing frame, which makes

installation simple and eliminates the need for a timber frame. These frames are supplied as standard in white, however colour matched frames are also available.

Supplied with our black "D" handle. Secured by Design doors are bespoke and made to order.





Sheraton II glazed (steel)





Berkeley vertical (timber Futura) Burley (timber Futura)





Gatcombe (timber Futura)

Fully finished coloured steel doors

These doors are factory finished in deep textured paint to one of twenty two classic colours, plus white. The deep textured paint finish is incredibly durable and resistant to scuffing and comes with a ten year guarantee. Cardale up and over doors are bespoke and made to order. Frame can be matched to the colour of the door, or supplied white as standard. Black Cardale handle fitted as standard.



Sheraton II balmoral green

Cardale steel door colour range

Cardale fully finished garage doors and Cardale Secured by Design doors are available in your choice of these fantastic colours.



01582 563777

www.cardale.co.uk





Signal Grey RAL7004



Balmoral Green RAI 6005



Pastel Blue RAL5024



Fir Green RAL6009



RAL6013



Camouflage Beige BS381-389



Oxford Blue RAL5013



Golden Oak finished steel doors


The Cardale Golden Oak finishes are a smooth woodgrain that is an excellent match to the popular UPVC door and window finishes. Cardale Golden Oak doors are bespoke and made to order.

Black Cardale handle fitted on each door unless otherwise specified. The optional Golden Oak chassis frame is RAL8003, to match the Golden Oak door.



Side hinged steel doors

Cardale side hinged doors offer the following features: Centre overlap to help prevent forced entry and reduce draughts. High security Euro profile mortice lock. Twin shoot bolts top and bottom for added security. Stays to prevent the door opening further than 110 degrees. All side hinged doors are supplied complete with a 65mm frame. Side hinged doors are bespoke and made to order



Rosewood finished steel doors


The Cardale Rosewood finishes are a smooth woodgrain that are an excellent match to the popular UPVC door and window finishes. Cardale Rosewood doors are bespoke and made to order.

Black Cardale handle fitted on each door unless otherwise specified. The optional Rosewood chassis frame is Cherry, a perfect match for the Rosewood door finish.



GRP doors

A luxury range of low maintenance GRP garage doors exclusively available from Cardale. With the same strength to weight ratio as steel this composite material is incredibly robust and is used in the yachting industry due to its durability against the ravaging effects of corrosive weather. Available in low maintenance high gloss white or magnolia and incredibly lifelike timbergrain effect woodtones, these doors are virtually maintenance free. GRP doors are bespoke and made to order.





01582 563777

Timber Futura up and over doors

Stunning garage doors handmade in Britain from the finest durable, solid Cedar wood tongue and groove boards and mouldings. These doors have the quality and status to enhance the front of any home. Timber doors are bespoke and made to order.

Berkeley Vertical	Bedford	Burley	Chevron	Cotswold	
Gatcombe	Hampshire (wide)	Horizontal	lbstock	Kent (wide)
			Light Oak	Rosewood	Walnut
Strathmore	Vertical				
Suannore	Vertical		Mahogany	Burnt Oak	Ebony

Timber side hinged steel doors

Cardale timber side hinged garage doors are complete with a 50mm frame. Doors are supplied with a lock hole unless specified otherwise. Doors open outwards only, with the lock on the right when viewed from the outside. Left hand opening is available as an option. Timber side hinged doors are bespoke and made to order.



Timber Heritage up and over doors

Handcrafted garage doors using cedar faced mouldings on the finest quality external grade ply. Cardale's Timber Heritage garage doors highlight the natural beauty and quality of timber. These doors have the quality and status to enhance the front of any home. Timber doors are bespoke and made to order.

			,	I	
At the second second second					
Tud	or	Cardinal	Chiltern	Countryman	Guildford
A HARFORN IN MARKED					
Han	npstead	Hathaway	Shropshire	Shropshire glazed	Thornley
THE REAL PROPERTY OF				Timber door fully finish Cardale fully finished option is a far product used is available in six attr south facing situations exposed to are not recommended, as they can Timber doors are supplied with a ba They MUST be finished immediately	ed options ctory finish process, the Sikkens ractive colours as illustrated. For strong sunlight the dark colours store excessive heat and dry out. asecoat stain as standard.
8	Bromley	Windsor	Stuart		01582 563777



www.cardale.co.uk

01582 563777

Insulated sectional steel doors

Cardale insulated sectional steel doors are comprised of individual sections connected together by hinges.

The door opens vertically into the garage and with no 'kick out' as it moves, providing you with up to three feet of increased drive length compared to Up & Over Garage Doors.

Garage Doors.				Door finishe	S
				Woodgrain Also available in your choice of RAL colour	Noblesse (smooth) Also available in your choice
				(iso45). Not available on Flush iso45.	of RAL colour (iso 45). Not available
Georgian Panelled iso20/45	Horizontal Rib iso20/45	Flush iso20/45	Large Rib iso20/45	1 tu3ii 13040.	on Horizontal Ribbed iso45.
and the second second					
				-	
	Densilied Olever dise (5		Fluch Starl Plus in (F	Laura Dit Anthr	site is 20//5
Large Rib Golden Oak iso20/45 Super-Colour colours/pre	Panelled Glazed iso45	Panelled Glazed Smoothfoil iso45	Flush Steel Blue iso45	Large Rib Anthra	cite iso20/45
Steel Blue RAL 5011 Moss Green RAL 6005 Black RAI			Grey RAL 7016 Sepia Brown RAL 8014 Light Grey RAL 70	035 Grey Aluminium RAL 9007 White	Aluminium RAL 9006
Rustic wood effects for iso	45 doors Structural surf	aces for iso45 doors New N	licroline pattern for iso4	5 doors	
Golden Qak smooth Dark Dak smooth Mahogany smooth	NEW NEW NEW	ey Satin Brown Satin Grey Satin White	NEW NEW		You want more? Doors can also b supplied in the RAL colour of your choice for a
Insulated sectional steel doors		, ,			small additional charge.

Aluminium in

Thermaglide77 roller doors Thermaglide roller garage doors out-perform the ordinar garage door for ease of use, insulation, finishes, safety and security. All doors are manufactured under strict and controlled guidelines.

Thermaglide55 roller doors

Where headroom is especially tight, the Thermaglide 55 has all the features of Thermaglide 77 but requires only 205mm of headroom and is available up to 2.8 metres wide and 2.4 metres high.

Notes on colour Door guides and boxes are available in colours matching the door curtain except laminate door colours, (supplied in brown). Coloured guide rails are supplied as standard, however. they may not match the lath colour. The manufacturing process for the lath profile results in a textured finish, whilst all other coloured items (guides, bottom laths, lock laths, optional fascias and vision panels) are supplied in a satin finish, so cannot be guaranteed to match exactly. Over time some scuffing may occur on front and rear surfaces of door as a result of their normal operation.

n	sulated roller	doors	5					
		Thermag	lide77 Col	OUTS Low m	aintenance po	wdercoat		
iry		White RAL9016	Mocca RAL8019	Elack RAL9005	Burgundy RAL3004	Racing Green RAL 6009	Blue RAL5011	Cream RAL9001
nd		Dark Brown RAL8019	Anthracite Grey RAL7016	Rosewood	Golden Dak			
	Thermaglide77 brown RAL8014	Low mainter	ance high gra	de woodgrain	ı laminate			
y ; de		Anthracite Grey RAL7016	Black RAL9005	Wine Red RAL3005	Blue RAL5011	Mahogany	Rosewood	Golden Dak
		Thermag	lide55 Col	OUTS Polyes	ter painted fin	ishes		
-		White RAL9016						
d	Thermaglide77 white RAL9016	White HAL9U16	Mocca RAL8019	Black RAL9005	Burgundy RAL3004	Racing Green RAL6009	Blue RAL5011	Dark Brown RAL
	Thermaglide roller doors are bespoke and made to order.		and the second s	1				
lst m	bespone and made to order.	Anthracite Grey RAL7016	Rosewood	Golden Oak de woodgrain	laminate			
tch				Ĵ				
ors		Rosewood	Golden Oak					

Steeline roller doors

Cardale Steeline roller doors are a design proven for exceptional durability and long term performance. Simple, clean lines and an excellent colour choice are just part of the appeal of the Steeline door. Steeline roller doors are bespoke and made to order.



Twin locking bars for security Anthracite

Personnel doors

Personnel doors are popular as a side entrance to a garage. They are pre-framed and come complete with a Euro profile night latch and deadlock and four anti-drop anchored bolt hinges per door leaf. Left hand opening available as an option. Available in the following finishes: Pre-finished, Painted,





Gemini Europa II



Brompton

Personnel doors are bespoke and made to order.

Accessories and options Up and over door operators

Cardale DC650T

Traction force 650N for doors up to 4300 wide x 2134 high (←90kg)

Cardale DC800T


Traction force 800N, for doors up to 5000 x 2438 high (\rightarrow 90kg)



Sectional door operators



The Sectional Door operator system offers maximum convenience during operation and installation. It is integrated into the side garage door track - either on the left or the right depending on the structural conditions. No ceiling assembly is required and any installation problems are ruled out from the outset.



Steeline Foil finishes





Vandvke Brown

Glazing

Selected Cardale garage door designs are available with glazing, with a range of attractive designs to blend with your house windows and doors

Glazed windows are constructed from shatter resistant polycarbonate with a stippled, translucent anti-reflectant finish.









Square lattice

Diamond lattice Queen Anne

2 Command Transmitters

- Up to two applications possible
- Modern, compact design
- LED built-in light

Each Cardale operator is supplied with two transmitters

Frames

Up and over doors are available with the option of a frame and it is a recommended choice for a high quality installation.

Handles

Steel up and over doors are fitted with handles which do not have a backing plate. Handles for timber doors have a backing plate.

4 Point Locking

Cardale up and over garage doors are available with the Cardale 4 Point Locking system as an optional extra, offering even greater levels of security.



Honesty Cream Merlin Grey

Terms and conditions

Warranty

The purchaser is granted a warranty covering the sale and the reliable operation of the garage door for a period of 10 years after the date of purchase. In the unlikely event of a warranty claim, please contact your dealer or distributor who supplied the door. They will be able to determine if the reported issues are a valid claim and then take appropriate action.

An assessment of the claim will then be made once a request has been received by our warranty team.

In some cases, Cardale may request a site inspection at your premises. In the event that there is no legitimate claim under the terms of the warranty, you may be liable for the costs of this visit. It is essential that you take note of the care and usage instructions provided with your door and you follow these instructions throughout the lifetime of your door.

If you are a trade customer, please contact the Cardale Warranty Department who will be able to send you the appropriate form to complete.

The warranty does not cover:

- Improper installation
 Normal wear and tear
- · Priming and other surface protection treatments
- Negligent or wanton destruction
- Doors that have not been correctly maintained or have not had their required annual servicing
 (Roller and Sectional Doors)
- Incorrect surface protection treatments or treatments which have not been applied in a timely fashion
- Repair by a non-qualified installer
- Use of non-Cardale parts without the approval of Cardale
- Damage or removal of the product number sticker or making it unidentifiable
 Improper operation
- External influences, such as fire, salts, water, acids, alkaline solutions and abnormal environmental influence
- Mechanical damage caused by improper transport or installation
- Please note some marking on laths of roller doors is quite normal due to normal operation. However any excessive marking would be considered.
- Any doors situated within 3 miles of the coastline are automatically voided from warranty for any corrosion related issues due to high exposure to the sea air.
- Any doors outside of this radius but that are near the coast will be considered but, if there
 is evidence that regular cleaning of the door has not been adhered to, any claim is likely to be
 rejected.
- Dark Doors should not be placed in any property that are exposed to the sun for large periods
 of the day as the colour is likely to fade, any claims relating to such issues are likely to be
 rejected.
- All missing parts and damage must be reported to Cardale within 72 hours of receiving the Garage Door from Cardale and the claim should come from your dealer or distributor.

All dark colours which are exposed to direct sunlight should be avoided. Dark coloured doors may undergo expansion due to heat absorption. Such instances are not covered by the guarantee.

However normal performance will resume when the door has cooled down if the heat absorption has affected the door's performance.

All colour samples depicted in this brochure are as close to the original manufacturer's colours as possible. Garage doors supplied may vary in colour from the brochure representation due to printing processes.

Your Cardale Stockist

Prices

All orders are accepted on the understanding that the goods will be subject to the price ruling at the time of delivery, unless other terms are specifically agreed. All prices are in £ sterling and exclude VAT. UK mainland delivery is included to the buyer's trading address - delivery to site £58.00 (subject to access).

A 25% handling charge applies to all unwanted items on standard stock items only. Items must be returned unopened and in an unused condition.

All returns are subject to acceptance by Cardale Garage Doors.

All doors are bespoke and made to order. Your right to cancel is not available on non-standard made to order doors.

Specification

Due to the progressive outlook of Cardale we reserve the right to alter specifications to design and manufacture without notification. All specifications and details are correct at the time of publication, errors and omissions excepted.

All Doors

Colour match Pairs of doors should be ordered together to obtain the best colour match, bearing in mind the limitations of the materials used in the construction.

Timber garage doors cannot be ordered as matching sets.

Size variations As the size of a door changes in height and/or width, the panel frequency and profile can change, therefore doors of the same style but of different sizes can display a significant difference in appearance.

Clearances All doors require operating clearances, i.e. the gap between the door panel and frame opening, these are inbuilt during manufacture and should not be reduced by means of infills, or draught proofing.

Deflection When in the open position, all doors will display a level of vertical deflection or 'sag' across the width of the panel. Individual manufacturers' specifications should be consulted for exact tolerances.



Cardale Garage Doors Unit 5-9 Luton North Industrial Estate, Sedgwick Road, Luton LU4 9DT t: 01582 563777 f: 01582 568801 www.cardale.co.uk Opening times: Mon-Fri 8.30am - 5.00pm

